## Approved For Release 2004/03/11 : CIA-RDP78-04546A000800050030-1

l March 1966

MEMORANDUM FOR:	Deputy Chief, DDP		
SUBJECT :	Photographic Enclosures to CIA Information Reports		
OH.	4 February and agreed to the following procedure		

for disseminating photographic enclosures to CIA Information Reports to LIA:

- a) When photographic enclosures are disseminated to DIA 3 copies of each enclosure will be forwarded at the same time the regular number of copies, (40 at the present time), of the transmittal report are forwarded. In addition the transmittal report will indicate the specific DOD Components to which the enclosures were directly sent.
- b) In addition, if photographic enclosures are also sent directly to DOD Compensats, the transmittal report will indicate the specific DOD Compensate involved.
- c) When a report is disseminated without photographic enclosure(s), copies of the enclosures will not be forwarded later unless specifically requested by DIA.
- 2. In order to accomplish this distribution, it will be necessary for the Area Divisions to process reports involved through PED.
- 3. Please advice if these arrangements are satisfactory and if so when we can put them into effect.

Chief. Document Division

STAT

**STAT** 

Approved For Release 2004/03/11 : CIA-RDP78-04546A000500050030-1

STAT

STAT

STAT

STAT

## Approved For Release 2004/03/11 : CIA-RDP78-04546A0100100050030-1

Edia Con

S-E-C-R-E-T

	25X1
Memorandum	25X1
28 February 1 <u>966</u>	

MEMORANDUM FOR: Chief Reports Officers

SUBJECT

: Defense Intelligence Agency (DIA) Copy Requirement

for Photographs

- 1. Effective immediately, whenever DIA is on the distribution for a report disseminating photographs, three copies of each photograph should accompany the report.
- 2. Whenever photographs are sent directly to Department of Defense components other than DIA, DIA will be sent three copies of each photograph and the covering report will indicate the specific military component that has been furnished the photographs directly.

Chief, Reports Control

25X1

GROUP 1 Excluded from automatic downgrading and declassification